The Clinical Journal of Pain
16:369–372 © 2000 Lippincott Williams & Wilkins, Inc., Philadelphia

The Clinical Journal of Pain
Volume 16, 2000

Author Index

Abram, S. E.
Neural Blockade for Neuropathic Pain, S56
Allen, J. M. *see* Barlas, P.
Almirante, J. *see* Ochani, T. D.
Apfel, S. C.
Neurotrophic Factors and Pain, S7
Argoff, C. E.
New Analgesics for Neuropathic Pain: The Lidocaine Patch, S62
Arnstein, P. *see* Biller, N.
Ashburn, M. A. *see* Shomaker, T. S.
Asmundson, G. J. G. *see* Snider, B. S.
Attal, N.
Chronic Neuropathic Pain: Mechanisms and Treatment, S118
Augustson, E.M. *see* Edwards, R.

Backonja, M.-M.
Anticonvulsants (Antineuropathics) for Neuropathic Pain Syndromes, S67
Barbick, B. *see* Harden, R.N.
Barlas, P.
Lowe, A. S., Walsh, D. M., Baxter, G. D., Allen, J. M.: Effect of Acupuncture Upon Experimentally Induced Ischemic Pain: A Sham-Controlled Single-Blind Study, 255
Baron, R.
Peripheral Neuropathic Pain: From Mechanisms to Symptoms, S12
Basta, S. *see* Shomaker, T. S.
Baxter, G. D. *see* Barlas, P.
Baxter, G. D. *see* Hurley, D. A.
Bennett, G. J.
A Neuroimmune Interaction in Painful Peripheral Neuropathy, S139
Benrud-Larson, L. M. *see* Haythornthwaite, J. A.
Biller, N.
Arnstein, P., Caudill, M. A., Federman, C. W., Guberman, C.: Predicting Completion of a Cognitive–Behavioral Pain Management Program by Initial Measures of a Chronic Pain Patient's Readiness for Change, 352
Björnsson, G.A. *see* Breivik, E.K.
Boisset, V. *see* Nielens, H.
Boyce, W. T. *see* Franck, L. S.
Breivik, E.K.
Björnsson, G.A., Skovlund, E.: A Comparison of Pain Rating Scales by Sampling From Clinical Trial Data, 22
Bruehl, S.P. *see* Harden, R.N.

Carrougher, G. J. *see* Hoffman, H. G.
Caudill, M. A. *see* Biller, N.
Champion, G. D. *see* Goodenough, B.
Chapman, S. L.
Jamison, R. N., Sanders, S. H., Lyman, D. R., Lynch, N. T.: Perceived Treatment Helpfulness and Cost in Chronic Pain Rehabilitation, 169
Clark, S. B. *see* Yang, J. C.
Clark, W. C. *see* Yang, J. C.
Cox, B. J. *see* McWilliams, L. A.
Craig, K.D. *see* Hadjistavropoulos, T.
Cutler, R.B. *see* Fishbain, D.

D'Amaro, J. *see* Zaal, M. J. W.
Davis, B. *see* Semenchuk, M.R.
de Lange, J. J. *see* Vranken, J. H.
de Rosayro, A.M. *see* Rosenberg, J.M.
Devers, A.
Galer, B. S.: Topical Lidocaine Patch Relieves a Variety of Neuropathic Pain Conditions: An Open-Label Study, 205
Doghramji, K. *see* Menefee, L. A.
Dusoir, T. E. *see* Hurley, D. A.
Dworkin, R. H.
Galer, B. S., Perkins, F. M.: Introduction, S1
Perkins, F. M., Nagasako, E. M.: Prospects for the Prevention of Postherpetic Neuralgia in Herpes Zoster Patients, S90

Edwards, R.
Augustson, E.M., Fillingim, R.: Sex-Specific Effects of Pain-Related Anxiety on Adjustment to Chronic Pain, 46
Enns, M. W. *see* McWilliams, L. A.

Farrar, J. T.
What Is Clinically Meaningful: Outcome Measures in Pain Clinical Trials, S106
Federman, C. W. *see* Biller, N.
Fillingim, R. *see* Edwards, R.
Finch, P. M.
Roberts, L. J., Price, L., Hadlow, N. C., Pullan, P. T.: Hypogonadism in Patients Treated With Intrathecal Morphine, 251
Finset, A. *see* Haugli, L.
Fishbain, D.
Cutler, R.B., Rosomoff, H.L., Rosomoff, R.S.: What Is the Quality of the Implemented Meta-Analytic Procedures in Chronic Pain Treatment Meta-Analyses?, 73
Forouzanfar, T.
van Kleef, M., Weber, W. E. J.: Radiofrequency Lesions of the Stellate Ganglion in Chronic Pain Syndromes: Retrospective Analysis of Clinical Efficacy in 86 Patients, 164
Franck, L. S.
Boyce, W. T., Gregory, G. A., Jemerin, J., Levine, J., Miaskowski, C.: Plasma Norepinephrine Levels, Vagal Tone Index, and Flexor Reflex Threshold in Premature Neonates Receiving Intravenous Morphine During the Postoperative Period: A Pilot Study, 95
Frank, E. D. *see* Menefee, L. A.

Galer, B. S. *see* Devers, A.
Galer, B. S. *see* Dworkin, R. H.
Gass, S. *see* Harden, R.N.
Geisser, M. E.
Roth, R. S., Theisen, M. E., Robinson, M. E., Riley, J. L, III.: Negative Affect, Self-Report of Depressive Symptoms, and Clinical Depression: Relation to the Experience of Chronic Pain, 110
Geller, E. *see* Weinbroum, A. A.
Goodenough, B.
Perrott, D. A., Champion, G. D., Thomas, W.: Painful Pricks and Prickle Pains: Is There a Relation Between Children's Ratings of Venipuncture Pain and Parental Assessments of Usual Reaction to Other Pains?, 135

Graff-Radford, S. B.
Shaw, L. R., Naliboff, B. N.: Amitriptyline and Fluphenazine in the Treatment of Postherpetic Neuralgia, 188
Gregory, G. A. *see* Franck, L. S.
Grothaus, L. C. *see* Saunders, K. W.
Grothusen, J. R. *see* Tahmoush, A. J.
Grunau, R.E.
Holsti, L., Whitfield, M.F., Ling, E.: Are Twitches, Startles, and Body Movements Pain Indicators in Extremely Low Birth Weight Infants?, 37
Guberman, C. *see* Biller, N.

Hadjistavropoulos, T.
LaChapelle, D.L., MacLeod, F.K., Snider, B., Craig, K.D.: Measuring Movement-Exacerbated Pain in Cognitively Impaired Frail Elders, 54
Hadlow, N. C. *see* Finch, P. M.
Hansson, G.-[fZ]. *see* Persson, A. L.
Harden, R. N.
A Clinical Approach to Complex Regional Pain Syndrome, S26
Bruehl, S.P., Gass, S., Niemiec, C., Barbick, B.: Signs and Symptoms of the Myofascial Pain Syndrome: A National Survey of Pain Management Providers, 64
Harris, J. E. *see* Shulman, M.
Haugli, L.
Steen, E., Lærum, E., Finset, A., Nygaard, R.: Agency Orientation and Chronic Musculoskeletal Pain: Effects of a Group Learning Program Based on the Personal Construct Theory, 281
Haythornthwaite, J. A.
Benrud-Larson, L. M.: Psychological Aspects of Neuropathic Pain, S101
Hazebroek-Kampschreur, A. A. J. M. *see* Perquin, C. W.
Hewitt, D. J.
The Use of NMDA-Receptor Antagonists in the Treatment of Chronic Pain, S73
Ho, C.-M. *see* Ho, S.-T.
Ho, S.-T.
Wang, J.-J., Tang, J. J.-S., Liaw, W.-J., Ho, C.-M.: Pain Relief After Arthroscopic Knee Surgery: Intravenous Morphine, Epidural Morphine, and Intra-Articular Morphine, 105
Hoffman, H. G.
Patterson, D. R., Carrougher, G. J.: Use of Virtual Reality for Adjunctive Treatment of Adult Burn Pain During Physical Therapy: A Controlled Study, 244
Holsti, L. *see* Grunau, R.E.
Hopp, J. L. *see* Tahmoush, A. J.
Hunfeld, J. A. M. *see* Perquin, C. W.
Hurley, D. A.
Dusoir, T. E., McDonough, S. M., Moore, A. P., Linton, S. J., Baxter, G. D.: Biopsychosocial Screening Questionnaire for Patients With Low Back Pain: Preliminary Report of Utility in Physiotherapy Practice in Northern Ireland, 214

Inoue, T. *see* Wajima, Z.
Ivankovich, A. D. *see* Shulman, M.

Jalali, S. *see* Menefee, L. A.
Jamison, R. N. *see* Chapman, S. L.
Jemerin, J. *see* Franck, L. S.

Kalliomäki, J. *see* Persson, A. L.
Kaplan, R. *see* Ochani, T. D.
Karageorgiou, K. *see* Manias, P.
Kashiwazaki, M. *see* Kato, J.
Kato, J.
Ogawa, S., Katz, J., Nagai, H., Kashiwazaki, M., Saeki, S., Suzuki, H.: Effects of Presurgical Local Infiltration of Bupivacaine in the Surgical Field on Postsurgical Wound Pain in Laparoscopic Gynecologic Examinations: A Possible Preemptive Analgesic Effect, 12
Katz, J. *see* Kato, J.
Katz, N.
Neuropathic Pain in Cancer and AIDS, S41
Koltzenburg, M.
Neural Mechanisms of Cutaneous Nociceptive Pain, S131

Lærum, E. *see* Haugli, L.
LaChapelle, D.L. *see* Hadjistavropoulos, T.
Levine, J. *see* Franck, L. S.
Liaw, W.-J. *see* Ho, S.-T.
Ling, E. *see* Grunau, R.E.
Linton, S. J. *see* Hurley, D. A.
Loeser, J. D.
Pain and Suffering, S2
Love, G. *see* Shomaker, T. S.
Lowe, A. S. *see* Barlas, P.
Lubenow, T. R. *see* Shulman, M.
Lyman, D. R. *see* Chapman, S. L.
Lynch, N. T. *see* Chapman, S. L.

MacLeod, F.K. *see* Hadjistavropoulos, T.
Macres, S.
Richeimer, S.: Successful Treatment of Erythromelalgia With Intrathecal Hydromorphone and Clonidine, 310
Manias, P.
Tagaris, G., Karageorgiou, K.: Acupuncture in Headache: A Critical Review, 334
Mannion, R. J.
Woolf, C. J.: Pain Mechanisms and Management: A Central Perspective, S144
Marbach, J.J. *see* Raphael, K.G.
Mason, S.L. *see* Ohnmeiss, D.D.
Masquelier, E. *see* Nielens, H.
McCleane, G. J.
Lamotrigine in the Management of Neuropathic Pain: A Review of the Literature, 321
McDonough, S. M. *see* Hurley, D. A.
McWilliams, L. A.
Cox, B. J., Enns, M. W.: Impact of Adult Attachment Styles on Pain and Disability Associated With Arthritis in a Nationally Representative Sample, 360
Menefee, L. A.
Frank, E. D., Doghramji, K., Picarello, K., Park, J. J., Jalali, S., Perez-Schwartz, L.: Self-Reported Sleep Quality and Quality of Life for Individuals With Chronic Pain Conditions, 290
Miaskowski, C. *see* Franck, L. S.
Moore, A. P. *see* Hurley, D. A.
Moritz, U. *see* Persson, A. L.

Nagai, H. *see* Kato, J.
Nagasako, E. M. *see* Dworkin, R. H.
Naliboff, B. N. *see* Graff-Radford, S. B.
Nath, H. A. *see* Shulman, M.
Ng, K. F. *see* Yang, J. C.
Nicholson, B.
Taxonomy of Pain, S114

Nielens, H.
Boisset, V., Masquelier, E.: Fitness and Perceived Exertion in Patients With Fibromyalgia Syndrome, 209
Niemiec, C. *see* Harden, R.N.
Niv, D. *see* Weinbroum, A. A.
Nurmikko, T. J.
Mechanisms of Central Pain, S21
Nygaard, R. *see* Haugli, L.

Ochani, T. D.
Almirante, J., Siddiqui, A., Kaplan, R.: Allergic Reaction to Spinal Cord Stimulator, 178
Ogawa, R. *see* Wajima, Z.
Ogawa, S. *see* Kato, J.
Ohnmeiss, D.D.
Guyer, R.D., Mason, S.L.: The Relation Between Cervical Discographic Pain Responses and Radiographic Images, 1
Guyer, R.D. *see* Ohnmeiss, D.D.
Okifuji, A. *see* Sherman, J. J.

Park, J. J. *see* Menefee, L. A.
Passchier, J. *see* Perquin, C. W.
Patterson, D. R. *see* Hoffman, H. G.
Perez-Schwartz, L. *see* Menefee, L. A.
Perkins, F. M. *see* Dworkin, R. H.
Perquin, C. W.
Hazebroek-Kampschreur, A. A. J. M., Hunfeld, J. A. M., van Suijlekom-Smit, L. W. A., Passchier, J., van der Wouden, J. C.: Chronic Pain Among Children and Adolescents: Physician Consultation and Medication Use, 229
Perrott, D. A. *see* Goodenough, B.
Persson, A. L.
Hansson, G.-Å., Kalliomäki, J., Moritz, U., Sjölund, B. H.: Pressure Pain Thresholds and Electromyographically Defined Muscular Fatigue Induced by a Muscular Endurance Test in Normal Women, 155
Picarello, K. *see* Menefee, L. A.
Price, L. *see* Finch, P. M.
Pullan, P. T. *see* Finch, P. M.

Quint, D.J. *see* Rosenberg, J.M.

Raphael, K.G.
Marbach, J.J.: Comorbid Fibromyalgia Accounts for Reduced Fecundity in Women With Myofascial Face Pain, 29
Richeimer, S. *see* Macres, S.
Riley, J. L, III. *see* Geisser, M. E.
Riley, J. L, III. *see* Wise, E. A.
Robbins, W.
Clinical Applications of Capsaicinoids, S86
Roberts, L. J. *see* Finch, P. M.
Robinson, M. E. *see* Geisser, M. E.
Robinson, M. E. *see* Wise, E. A.
Rosenberg, J.M.
Quint, D.J., de Rosayro, A.M.: Computerized Tomographic Localization of Clinically-Guided Sacroiliac Joint Injections, 18
Rosomoff, H.L. *see* Fishbain, D.
Rosomoff, R.S. *see* Fishbain, D.
Roth, R. S. *see* Geisser, M. E.
Rudick, V. *see* Weinbroum, A. A.
Ryan, E. L.
Pectoral Girdle Myalgia in Women: A 5-year Study in a Clinical Setting, 298

Saeki, S. *see* Kato, J.
Sanders, S. H. *see* Chapman, S. L.
Saunders, K. W.
Von Korff, M., Grothaus, L. C.: Predictors of Participation in Primary Care Group-Format Back Pain Self-Care Interventions, 236
Schwartzman, R. J. *see* Tahmoush, A. J.
Semenchuk, M.R.
Davis, B.: Efficacy of Sustained-Release Bupropion in Neuropathic Pain: An Open-Label Study, 6
Shaw, L. R. *see* Graff-Radford, S. B.
Sherman, J. J.
Turk, D. C., Okifuji, A.: Prevalence and Impact of Posttraumatic Stress Disorder–Like Symptoms on Patients With Fibromyalgia Syndrome, 127
Shitara, T. *see* Wajima, Z.
Shomaker, T. S.
Zhang, J., Love, G., Basta, S., Ashburn, M. A.: Evaluating Skin Anesthesia After Administration of a Local Anesthetic System Consisting of an S-Caine™ Patch and a Controlled Heat-Aided Drug Delivery (CHADD™) Patch in Volunteers, 200
Shulman, M.
Harris, J. E., Lubenow, T. R., Nath, H. A., Ivankovich, A. D.: Comparison of Epidural Butamben to Celiac Plexus Neurolytic Block For the Treatment of the Pain of Pancreatic Cancer, 304
Siddiqui, A. *see* Ochani, T. D.
Sjölund, B. H. *see* Persson, A. L.
Skovlund, E. *see* Breivik, E.K.
Snider, B. *see* Hadjistavropoulos, T.
Snider, B. S.
Asmundson, G. J. G., Wiese, K. C.: Automatic and Strategic Processing of Threat Cues in Patients With Chronic Pain: A Modified Stroop Evaluation, 144
Stanton-Hicks, M.
Complex Regional Pain Syndrome (Type I, RSD; Type II, Causalgia): Controversies, S33
Steen, E. *see* Haugli, L.
Suzuki, H. *see* Kato, J.

Tagaris, G. *see* Manias, P.
Tahmoush, A. J.
Schwartzman, R. J., Hopp, J. L., Grothusen, J. R.: Quantitative Sensory Studies in Complex Regional Pain Syndrome Type I/RSD, 340
Tang, J. J.-S. *see* Ho, S.-T.
Theisen, M. E. *see* Geisser, M. E.
Thomas, W. *see* Goodenough, B.
Tsui, S. L. *see* Yang, J. C.
Turk, D. C. *see* Sherman, J. J.
Turk, D. C.
Are Pain Syndromes Acute or Chronic Diseases?, 279
"Everyone Has Won and All Must Have Prizes", 93
"Statistical Significance and Clinical Significance Are Not Synonyms!", 185

van der Wouden, J. C. *see* Perquin, C. W.
van Kleef, M. *see* Forouzanfar, T.
van Suijlekom-Smit, L. W. A. *see* Perquin, C. W.
Von Korff, M. *see* Saunders, K. W.
Vranken, J. H.
Zuurmond, W. W. A., de Lange, J. J.: Continuous Brachial Plexus Block as Treatment for the Pancoast Syndrome, 327
Völker-Dieben, H. J. *see* Zaal, M. J. W.

Wajima, Z.
Shitara, T., Inoue, T., Ogawa, R.: Severe Lightning Pain After Subarachnoid Block in a Patient With Neuropathic Pain of Central Origin: Which Drug Is Best to Treat the Pain?, 265
Wallace, M. S.
Calcium and Sodium Channel Antagonists for the Treatment of Pain, S80
Walsh, D. M. *see* Barlas, P.
Wang, J.-J. *see* Ho, S.-T.
Watson, C. P. N.
The Treatment of Neuropathic Pain: Antidepressants and Opioids, S49
Weber, W. E. J. *see* Forouzanfar, T.
Weinbroum, A. A.
Weisenberg, M., Rudick, V., Geller, E., Niv, D.: Flumazenil Potentiation of Postoperative Morphine Analgesia, 193
Weisenberg, M. *see* Weinbroum, A. A.
Whitfield, M.F. *see* Grunau, R.E.
Wiese, K. C. *see* Snider, B. S.
Wise, E. A.
Riley, J. L, III., Robinson, M. E.: Clinical Pain Perception and Hormone Replacement Therapy in Postmenopausal Women Experiencing Orofacial Pain, 121
Woolf, C. J. *see* Mannion, R. J.
Woolf, C. J.
Introduction, S113

Yang, J. C.
Clark, W. C., Tsui, S. L., Ng, K. F., Clark, S. B.: Preoperative Multidimensional Affect and Pain Survey (MAPS) Scores Predict Postcolectomy Analgesia Requirement, 314

Zaal, M. J. W.
Völker-Dieben, H. J., D'Amaro, J.: Risk and Prognostic Factors of Postherpetic Neuralgia and Focal Sensory Denervation: A Prospective Evaluation In Acute Herpes Zoster Ophthalmicus, 345
Zhang, J. *see* Shomaker, T. S.
Zuurmond, W. W. A. *see* Vranken, J. H.

The Clinical Journal of Pain
16:373–380 © 2000 Lippincott Williams & Wilkins, Inc., Philadelphia

The Clinical Journal of Pain
Volume 25, 2000

Subject Index

Acupuncture
Acupuncture in headache, 334
Effect of acupuncture upon experimentally induced ischemic pain: A sham-controlled single-blind study, 255
Acute pain
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Adjustment to pain
Sex-specific effects of pain-related anxiety on adjustment to chronic pain, 46
Adolescents
Chronic pain among children and adolescents: Physician consultation and medication use, 229
Agency orientation
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
AIDS
Neuropathic pain in cancer and AIDS, S41
Allodynia
A neuroimmune interaction in painful peripheral neuropathy, S139
Peripheral neuropathic pain: From mechanisms to symptoms, S12
Quantitative sensory studies in complex regional pain syndrome type 1/RSD, 366
Amitriptyline
Amitriptyline and fluphenazine in the treatment of postherpetic neuralgia, 188
Analgesia
Flumazenil potentiation of postoperative morphine analgesia, 193
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
Analgesia, preemptive
Effects of presurgical local infiltration of bupivacaine in the surgical field on postsurgical wound pain in laparoscopic gynecologic examinations, 12
Analgesics
Hypogonadism in patients treated with intrathecal morphine, 251
Neuropathic pain in cancer and AIDS, S41
New analgesics for neuropathic pain: The lidocaine patch, S62
Anesthesia, dermal
Evaluating skin anesthesia after administration of a local anesthetic system consisting of an S-Caine™ patch and a controlled heat-aided drug delivery (CHADD™) patch in volunteers, 200
Anesthetics, local
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304
Effects of presurgical local infiltration of bupivacaine in the surgical field on postsurgical wound pain in laparoscopic gynecologic examinations, 12
Evaluating skin anesthesia after administration of a local anesthetic system consisting of an S-Caine™ patch and a controlled heat-aided drug delivery (CHADD™) patch in volunteers, 200
Neural blockade for neuropathic pain, S56
Anticonvulsants
Anticonvulsants (antineuropathics) for neuropathic pain syndromes, S67
Antidepressants
The treatment of neuropathic pain: Antidepressants and opioids, S49
Antineuropathics
Anticonvulsants (antineuropathics) for neuropathic pain syndromes, S67
Anxiety
Sex-specific and general roles of pain-related anxiety in adjustment to chronic pain: A reply to Edwards et al, 275
Sex-specific effects of pain-related anxiety on adjustment to chronic pain, 46
Arthritis
Impact of adult attachment styles on pain and disability associated with arthritis in a nationally representative sample, T6
Arthroscopy
Pain relief after arthroscopic knee surgery: Intravenous morphine, epidural morphine, and intra-articular morphine, 105
Attachment
Impact of adult attachment styles on pain and disability associated with arthritis in a nationally representative sample, T6
Attrition
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345

Back pain
Predictors of participation in primary care group-format back pain self-care interventions, 236
Back pain, low
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Behavior therapy
Psychological aspects of neuropathic pain, S101
Benzodiazepines
Flumazenil potentiation of postoperative morphine analgesia, 193
Biomaterials
Allergic reaction to spinal cord stimulator, 178
Biopsychosocial
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Body activity
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37
Book reviews
Chronic and Recurrent Pain in Children and Adolescents, 87
Management of Acute Pain, 89
Managing Chronic Noncancer Pain with Opioids: The Gap Between Basic Science and Clinical Studies, 270
Marihuana and Pain, 90
Numb Toes and Aching Soles: Coping with Peripheral Neuropathy, 366
Psychological Mechanisms of Pain and Analgesia, 272
Trauma Causes Pain, But What Can an Anesthetic Do?, T13
Borg scale
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Brachial plexus
Continuous brachial plexus block as treatment for the Pancoast syndrome, T12
Brain-derived neurotrophic factor (BDNF)
Neurotrophic factors and pain, S7
Bupropion
Efficacy of sustained-release bupropion in neuropathic pain: An open-label study, 6

Burn pain
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
Butamben
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304

Calcium antagonists
Calcium and sodium channel antagonists for the treatment of pain, S80
Cancer pain
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304
Continuous brachial plexus block as treatment for the Pancoast syndrome, 327
Neuropathic pain in cancer and AIDS, S41
Preoperative Multidimensional Affect and Pain Survey (MAPS) scores predict postcolectomy analgesia requirement, 314
Capsaicin
Clinical applications of capsaicinoids, S86
Neural mechanisms of cutaneous nociceptive pain, S131
Capsicum
Clinical applications of capsaicinoids, S86
Catheter
Continuous brachial plexus block as treatment for the Pancoast syndrome, 327
Causalgia
Complex regional pain syndrome (Type I, RSD; Type II, causalgia): Controversies, S33
Central pain
Mechanisms of central pain, S21
Central processing
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Central sensitization
Pain mechanisms and management: A central perspective, S144
Peripheral neuropathic pain: From mechanisms to symptoms, S12
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Children
Chronic pain among children and adolescents: Physician consultation and medication use, 229
Painful pricks and prickle pains: Is there a relation between children's ratings of venipuncture pain and parental assessments of usual reaction to other pains?, 135
Chronic pain
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
Automatic and strategic processing of threat cues in patients with chronic pain: A modified Stroop evaluation, 144
Chronic neuropathic pain: Mechanisms and treatment, S118
Chronic pain among children and adolescents: Physician consultation and medication use, 229
Negative affect, self-report of depressive symptoms, and clinical depression: Relation to the experience of chronic pain, 110
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Psychological aspects of neuropathic pain, S101
Radiofrequency lesions of the stellate ganglion in chronic pain syndromes: Retrospective analysis of clinical efficacy in 86 patients, 164
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Self-reported sleep quality and quality of life for individuals with chronic pain conditions, 290
Sex-specific and general roles of pain-related anxiety in adjustment to chronic pain: A reply to Edwards et al, 275
Sex-specific effects of pain-related anxiety on adjustment to chronic pain, 46
The term "chronic" with respect to pain should be dropped, letter, 365
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Clinical pain provocation
The relation between cervical discographic pain responses and radiographic images, 1
Clinical pain report
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
Clinical trials
What is clinically meaningful: Outcome measures in pain clinical trials, S106
Clonidine
Successful treatment of erythromelalgia with intrathecal hydromorphone and clonidine, 310
Cognitive-behavioral intervention
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345
Predictors of participation in primary care group-format back pain self-care interventions, 236
Psychological aspects of neuropathic pain, S101
Cognitive impairment
Measuring movement-exacerbated pain in cognitively impaired frail elders, 54
Colectomy
Preoperative Multidimensional Affect and Pain Survey (MAPS) scores predict postcolectomy analgesia requirement, T8
Complex regional pain syndrome (CRPS)
A clinical approach to complex regional pain syndrome, S26
Complex regional pain syndrome (Type I, RSD; Type II, causalgia): Controversies, S33
Quantitative sensory studies in complex regional pain syndrome type 1/RSD, 366
Computerized tomography
Computerized tomographic localization of clinically guided sacroiliac joint injections, 18
Consciousness
Pain and suffering, S2
Contact sensitivity
Allergic reaction to spinal cord stimulator, 178
Coping
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127
Corticosteroids
Neural blockade for neuropathic pain, S56

Denervation
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Depression
Negative affect, self-report of depressive symptoms, and clinical depression: Relation to the experience of chronic pain, 110
Psychological aspects of neuropathic pain, S101
Self-reported sleep quality and quality of life for individuals with chronic pain conditions, 290

Dermatologic surgery
Evaluating skin anesthesia after administration of a local anesthetic system consisting of an S-Caine™ patch and a controlled heat-aided drug delivery (CHADD™) patch in volunteers, 200
Diabetic neuropathy
Lamotrigine in the management of neuropathic pain: A review of the literature, 321
Diagnosis
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64
Dihydrocapsaicin
Clinical applications of capsaicinoids, S86
Disability
Impact of adult attachment styles on pain and disability associated with arthritis in a nationally representative sample, 360
Negative affect, self-report of depressive symptoms, and clinical depression: Relation to the experience of chronic pain, 110
Discography, cervical
The relation between cervical discographic pain responses and radiographic images, 1
Distraction
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
Dopamine
Efficacy of sustained-release bupropion in neuropathic pain: An open-label study, 6
Dorsal column spinal cord stimulator
Allergic reaction to spinal cord stimulator, 178
Drug delivery
Evaluating skin anesthesia after administration of a local anesthetic system consisting of an S-Caine™ patch and a controlled heat-aided drug delivery (CHADD™) patch in volunteers, 200

Editorials
Are pain syndromes acute or chronic diseases?, 279
Everyone has won and all must have prizes, 93
"Statistical significance and clinical significance are not synonyms!", 185
Elderly
Measuring movement-exacerbated pain in cognitively impaired frail elders, 54
Electromyography
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Empirical treatment
A clinical approach to complex regional pain syndrome, S26
Endurance test
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Erythromelalgia
Clinical applications of capsaicinoids, S86
Successful treatment of erythromelalgia with intrathecal hydromorphone and clonidine, 310
Exercise
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Exertion, perceived
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Experimental pain
Effect of acupuncture upon experimentally induced ischemic pain: A sham-controlled single-blind study, 255
Extremely low birth weight infant
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37

Faces pain scale
Painful pricks and prickle pains: Is there a relation between children's ratings of venipuncture pain and parental assessments of usual reaction to other pains?, 135
Family planning
comorbid fibromyalgia accounts for reduced fecundity in women with myofascial face pain, 29
Female health
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 208
Fertility
comorbid fibromyalgia accounts for reduced fecundity in women with myofascial face pain, 29
Fibromyalgia syndrome
comorbid fibromyalgia accounts for reduced fecundity in women with myofascial face pain, 29
Fibromyalgia and related matters, letter, 181
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64
Fitness
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Flexor reflex threshold
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Flumazenil
Flumazenil potentiation of postoperative morphine analgesia, 193
Fluphenazine
Amitriptyline and fluphenazine in the treatment of postherpetic neuralgia, 188

Gender
Sex-specific effects of pain-related anxiety on adjustment to chronic pain, 46
Glial cell-derived neurotrophic factor (GDNF)
Neurotrophic factors and pain, S7
Group program
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
Guidelines
A clinical approach to complex regional pain syndrome, S26

Headache
Acupuncture in headache, T10
Herpes zoster
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Herpes zoster ophthalmicus
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Homodihydrocapsaicin
Clinical applications of capsaicinoids, S86
Hormone replacement therapy
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
Hormones, exogenous
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
Hydromorphone
Successful treatment of erythromelalgia with intrathecal hydromorphone and clonidine, 310

Hyperalgesia
Anticonvulsants (antineuropathics) for neuropathic pain syndromes, S67
Neural mechanisms of cutaneous nociceptive pain, S131
A neuroimmune interaction in painful peripheral neuropathy, S139
Peripheral neuropathic pain: From mechanisms to symptoms, S12
Quantitative sensory studies in complex regional pain syndrome type 1/RSD, 366
Hypoalgesia
Effect of acupuncture upon experimentally induced ischemic pain: A sham-controlled single-blind study, 255
Hypogonadism
Hypogonadism in patients treated with intrathecal morphine, 251

Implementation meta-analytic procedures
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73
Infants
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37
Inflammatory response
A neuroimmune interaction in painful peripheral neuropathy, S139
Information processing
Automatic and strategic processing of threat cues in patients with chronic pain: A modified Stroop evaluation, 144
Injection
Computerized tomographic localization of clinically guided sacroiliac joint injections, 18
Intrathecal opioids
Successful treatment of erythromelalgia with intrathecal hydromorphone and clonidine, 310
Ischemic pain
Effect of acupuncture upon experimentally induced ischemic pain: A sham-controlled single-blind study, 255
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 298

Lamotrigine
Lamotrigine in the management of neuropathic pain: A review of the literature, 321
Laparoscopy
Effects of presurgical local infiltration of bupivacaine in the surgical field on postsurgical wound pain in laparoscopic gynecologic examinations, 12
Learning
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
Letters to the editor
Fibromyalgia and related matters, 181
Long-term opioid analgesic therapy for severe refractory lumbar spine pain, 86
Sex-specific and general roles of pain-related anxiety in adjustment to chronic pain: A reply to Edwards et al, 275
The term "chronic" with respect to pain should be dropped, 365
Lidocaine
New analgesics for neuropathic pain: The lidocaine patch, S62
Lidocaine, topical
Topical lidocaine patch relieves a variety of neuropathic pain conditions: An open-label study, 205
Lightning pain, severe
Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: Which drug is best to treat the pain?, 265
Local infiltration
Effects of presurgical local infiltration of bupivacaine in the surgical field on postsurgical wound pain in laparoscopic gynecologic examinations, 12

Low back pain
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214

Medication
Chronic pain among children and adolescents: Physician consultation and medication use, 229
Meta-analysis
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73
Morphine
Flumazenil potentiation of postoperative morphine analgesia, 193
Hypogonadism in patients treated with intrathecal morphine, 251
Morphine, epidural
Pain relief after arthroscopic knee surgery: Intravenous morphine, epidural morphine, and intra-articular morphine, 105
Morphine, intra-articular
Pain relief after arthroscopic knee surgery: Intravenous morphine, epidural morphine, and intra-articular morphine, 105
Morphine, intravenous
Pain relief after arthroscopic knee surgery: Intravenous morphine, epidural morphine, and intra-articular morphine, 105
Multidimensional Affect and Pain Survey (MAPS)
Preoperative Multidimensional Affect and Pain Survey (MAPS) scores predict postcolectomy analgesia requirement, 314
Multidimensional pain inventory
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127
Multidisciplinary pain treatment
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169
Muscle contraction
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 298
Muscle pain
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64
Muscular fatigue
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Musculoskeletal pain
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
Myofascial pain
comorbid fibromyalgia accounts for reduced fecundity in women with myofascial face pain, 29
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64

Neck pain
The relation between cervical discographic pain responses and radiographic images, 1
Needle pain
Painful pricks and prickle pains: Is there a relation between children's ratings of venipuncture pain and parental assessments of usual reaction to other pains?, 135
Negative affect
Negative affect, self-report of depressive symptoms, and clinical depression: Relation to the experience of chronic pain, 110
Neonate
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Nerve block
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304

Nerve growth factor
Neurotrophic factors and pain, S7
Neural blockade
Neural blockade for neuropathic pain, S56
Neuralgia, postherpetic
Amitriptyline and fluphenazine in the treatment of postherpetic neuralgia, 188
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Neurolysis
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304
Neurolytic
Neural blockade for neuropathic pain, S56
Neuropathic pain
Anticonvulsants (antineuropathics) for neuropathic pain syndromes, S67
Calcium and sodium channel antagonists for the treatment of pain, S80
Chronic neuropathic pain: Mechanisms and treatment, S118
Efficacy of sustained-release bupropion in neuropathic pain: An open-label study, 6
Neural blockade for neuropathic pain, S56
A neuroimmune interaction in painful peripheral neuropathy, S139
Neuropathic pain in cancer and AIDS, S41
New analgesics for neuropathic pain: The lidocaine patch, S62
Peripheral neuropathic pain: From mechanisms to symptoms, S12
Psychological aspects of neuropathic pain, S101
Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: Which drug is best to treat the pain?, 265
Taxonomy of pain, S114
Topical lidocaine patch relieves a variety of neuropathic pain conditions: An open-label study, 205
The treatment of neuropathic pain: Antidepressants and opioids, S49
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Neuropathy
Lamotrigine in the management of neuropathic pain: A review of the literature, 321
Topical lidocaine patch relieves a variety of neuropathic pain conditions: An open-label study, 205
Neurotrophic factors
Neurotrophic factors and pain, S7
Neurotrophins
Neural mechanisms of cutaneous nociceptive pain, S131
NMDA
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Nociception
Pain and suffering, S2
Nociceptive pain
Pain mechanisms and management: A central perspective, S144
Nociceptive processing
Calcium and sodium channel antagonists for the treatment of pain, S80
Nonverbal expression
Measuring movement-exacerbated pain in cognitively impaired frail elders, 54
Nordihydrocapsaicin
Clinical applications of capsaicinoids, S86
Norepinephrine
Efficacy of sustained-release bupropion in neuropathic pain: An open-label study, 6
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Numeric rating scale, 11-point
A comparison of pain rating scales by sampling from clinical trial data, 22

Occupational medicine
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 298
Opioid infusion pumps
Hypogonadism in patients treated with intrathecal morphine, 251
Opioids
Flumazenil potentiation of postoperative morphine analgesia, 193
The treatment of neuropathic pain: Antidepressants and opioids, S49
Opioids, intrathecal
Successful treatment of erythromelalgia with intrathecal hydromorphone and clonidine, 310
Orofacial pain
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
Outcome assessment
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169
What is clinically meaningful: Outcome measures in pain clinical trials, S106

Pain
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37
Calcium and sodium channel antagonists for the treatment of pain, S80
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304
Impact of adult attachment styles on pain and disability associated with arthritis in a nationally representative sample, 360
Measuring movement-exacerbated pain in cognitively impaired frail elders, 54
Mechanisms of central pain, S21
Neuropathic pain in cancer and AIDS, S41
Neurotrophic factors and pain, S7
Pain and suffering, S2
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Pain, neonatal
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Pain, orofacial
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
Pain behavior
Pain and suffering, S2
Pain intensity
Negative affect, self-report of depressive symptoms, and clinical depression: Relation to the experience of chronic pain, 110
Painful pricks and prickle pains: Is there a relation between children's ratings of venipuncture pain and parental assessments of usual reaction to other pains?, 135
Pain measurement
What is clinically meaningful: Outcome measures in pain clinical trials, S106
Pain mechanisms
Pain mechanisms and management: A central perspective, S144

Pain modulation
Anticonvulsants (antineuropathics) for neuropathic pain syndromes, S67
Pain questionnaire
Preoperative Multidimensional Affect and Pain Survey (MAPS) scores predict postcolectomy analgesia requirement, 314
Pain Stages of Change Questionnaire (PSOCQ)
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345
Pain tolerance
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Pain treatment
Amitriptyline and fluphenazine in the treatment of postherpetic neuralgia, 188
Chronic neuropathic pain: Mechanisms and treatment, S118
New analgesics for neuropathic pain: The lidocaine patch, S62
Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: Which drug is best to treat the pain?, 265
Topical lidocaine patch relieves a variety of neuropathic pain conditions: An open-label study, 205
The treatment of neuropathic pain: Antidepressants and opioids, S49
The use of NMDA-receptor antagonists in the treatment of chronic pain, S73
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73
Pancoast syndrome
Continuous brachial plexus block as treatment for the Pancoast syndrome, 327
Pancreatic cancer
Comparison of epidural butamben to celiac plexus neurolytic block for the treatment of the pain of pancreatic cancer, 304
Participation
Predictors of participation in primary care group-format back pain self-care interventions, 236
Pathologic pain
Pain mechanisms and management: A central perspective, S144
Pathophysiology
Chronic neuropathic pain: Mechanisms and treatment, S118
Mechanisms of central pain, S21
Patient satisfaction
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169
Pectoral girdle myalgia
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 298
Peripheral neuropathy
A neuroimmune interaction in painful peripheral neuropathy, S139
Personal control
Agency orientation perspective and chronic musculoskeletal pain: Effects of a group learning program based on the personal construct theory, 281
Physical function
Psychological aspects of neuropathic pain, S101
Physical therapy
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
Physician consultation
Chronic pain among children and adolescents: Physician consultation and medication use, 229
Physiotherapy
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Plasticity
Neural mechanisms of cutaneous nociceptive pain, S131
Postherpetic neuralgia
Amitriptyline and fluphenazine in the treatment of postherpetic neuralgia, 188
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Postoperative pain
A comparison of pain rating scales by sampling from clinical trial data, 22
Flumazenil potentiation of postoperative morphine analgesia, 193
Pain relief after arthroscopic knee surgery: Intravenous morphine, epidural morphine, and intra-articular morphine, 105
Preoperative Multidimensional Affect and Pain Survey (MAPS) scores predict postcolectomy analgesia requirement, 314
Posttraumatic stress disorder
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127
Power
A comparison of pain rating scales by sampling from clinical trial data, 22
Prediction
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345
Pressure pain threshold
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Prevention
Prospects for the prevention of postherpetic neuralgia in herpes zoster patients, S90
Primary care
Predictors of participation in primary care group-format back pain self-care interventions, 236
Prognostic block
Radiofrequency lesions of the stellate ganglion in chronic pain syndromes: Retrospective analysis of clinical efficacy in 86 patients, 164
Psychosocial profiles
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127

Qualitative techniques
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73
Quality
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73
Quality of life
Self-reported sleep quality and quality of life for individuals with chronic pain conditions, 290
Quantitative sensory threshold
Quantitative sensory studies in complex regional pain syndrome type 1/RSD, 366

Radiofrequency lesion
Radiofrequency lesions of the stellate ganglion in chronic pain syndromes: Retrospective analysis of clinical efficacy in 86 patients, 164
Radiographic evaluation
The relation between cervical discographic pain responses and radiographic images, 1

Randomized controlled trials
Chronic neuropathic pain: Mechanisms and treatment, S118
What is clinically meaningful: Outcome measures in pain clinical trials, S106
Recruitment
Predictors of participation in primary care group-format back pain self-care interventions, 236
Reflex sympathetic dystrophy (RSD)
A clinical approach to complex regional pain syndrome, S26
Complex regional pain syndrome (Type I, RSD; Type II, causalgia): Controversies, S33
Quantitative sensory studies in complex regional pain syndrome type 1/RSD, 366
Rehabilitation
Fitness and perceived exertion in patients with fibromyalgia syndrome, 209
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169
Reproducibility of results
What is clinically meaningful: Outcome measures in pain clinical trials, S106
Resiniferotoxin
Clinical applications of capsaicinoids, S86
Review
What is the quality of the implemented meta-analytic procedures in chronic pain treatment meta-analyses?, 73

Sacroiliac
Computerized tomographic localization of clinically guided sacroiliac joint injections, 18
Scoville Heat Units
Clinical applications of capsaicinoids, S86
Screening
Biopsychosocial screening questionnaire for the patients with low back pain: Preliminary report of utility in physiotherapy practice in Northern Ireland, 214
Selective attention
Automatic and strategic processing of threat cues in patients with chronic pain: A modified Stroop evaluation, 144
Self-care
Predicting completion of a cognitive-behavioral pain management program by initial measures of a chronic pain patient's readiness for change, 345
Predictors of participation in primary care group-format back pain self-care interventions, 236
Sensory deficit
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Sensory neuron
Neural mechanisms of cutaneous nociceptive pain, S131
Serratus anterior
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 258
Sex
Sex-specific effects of pain-related anxiety on adjustment to chronic pain, 46
Sex hormones
Hypogonadism in patients treated with intrathecal morphine, 251
Sham-controlled single-blind study
Effect of acupuncture upon experimentally induced ischemic pain: A sham-controlled single-blind study, 255
Shoulder muscle
Pressure pain thresholds and electromyographically defined muscular fatigue induced by a muscular endurance test in normal women, 155
Signs
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64
Skin anesthesia
Evaluating skin anesthesia after administration of a local anesthetic system consisting of an S-Caine™ patch and a controlled heat-aided drug delivery (CHADD™) patch in volunteers, 200
Sleep
Self-reported sleep quality and quality of life for individuals with chronic pain conditions, 290
Sodium antagonists
Calcium and sodium channel antagonists for the treatment of pain, S80
Spinal cord
Allergic reaction to spinal cord stimulator, 178
Spinal plasticity
Pain mechanisms and management: A central perspective, S144
Stellate ganglion
Radiofrequency lesions of the stellate ganglion in chronic pain syndromes: Retrospective analysis of clinical efficacy in 86 patients, 164
Steroids
Computerized tomographic localization of clinically guided sacroiliac joint injections, 18
Stochastic simulation
A comparison of pain rating scales by sampling from clinical trial data, 22
Stress
Are twitches, startles, and body movements pain indicators in extremely low birth weight infants?, 37
Stroop test, modified
Automatic and strategic processing of threat cues in patients with chronic pain: A modified Stroop evaluation, 144
Subarachnoid block
Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: Which drug is best to treat the pain?, 265
Suffering
Pain and suffering, S2
Sympathetically maintained pain (SMP)
Complex regional pain syndrome (Type I, RSD; Type II, causalgia): Controversies, S33
Symptoms
Signs and symptoms of the myofascial pain syndrome: A national survey of pain management providers, 64

Taxonomic and diagnostic issues
A clinical approach to complex regional pain syndrome, S26
Taxonomy
Taxonomy of pain, S114
Temporomandibular disorders
Clinical pain perception and hormone replacement therapy in postmenopausal women experiencing orofacial pain, 121
comorbid fibromyalgia accounts for reduced fecundity in women with myofascial face pain, 29
Thiopental
Severe lightning pain after subarachnoid block in a patient with neuropathic pain of central origin: Which drug is best to treat the pain?, 265
Thoracotomy
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Topical drugs
Topical lidocaine patch relieves a variety of neuropathic pain conditions: An open-label study, 205
Trapezius
Pectoral girdle myalgia in women: A 5-year study in a clinical setting, 298
Trauma
Prevalence and impact of posttraumatic stress disorder-like symptoms on patients with fibromyalgia syndrome, 127
Treatment cost
Perceived treatment helpfulness and cost in chronic pain rehabilitation, 169

Trigeminal neuralgia
Lamotrigine in the management of neuropathic pain: A review of the literature, 321

Vagal tone index
Plasma norepinephrine levels, vagal tone index, and flexor reflex threshold in premature neonates receiving intravenous morphine during postoperative period, 95
Varicella-zoster virus
Risk and prognostic factors of postherpetic neuralgia and focal sensory denervation: A prospective evaluation in acute herpes zoster ophthalmicus, 340
Venipuncture pain
Painful pricks and prickle pains: Is there a relation between children's ratings of venipuncture pain and parental assessments of usual reaction to other pains?, 135
Verbal rating scale, four-category
A comparison of pain rating scales by sampling from clinical trial data, 22
Virtual reality
Use of virtual reality for adjunctive treatment of adult burn pain during physical therapy: A controlled study, 244
Visual analog scale
A comparison of pain rating scales by sampling from clinical trial data, 22

STATEMENT OF OWNERSHIP MANAGEMENT AND CIRCULATION (Required by 39 U.S.C. 3685)

1. Publication Title: THE CLINICAL JOURNAL OF PAIN
2. Publication no.: 0749-8047. 3. Filing date: 10-01-00. 4. Frequency of issue: Quarterly
5. No. of issues published annually: 4; 6. Annual subscription price: $ 151.00
7. Complete mailing address of known office of publication: Lippincott Williams & Wilkins, 16522 Hunters Green Parkway, Hagerstown, MD 21740. 8. Complete mailing address of the headquarters of general business offices of the publisher: 530 Walnut Street, Philadelphia, PA 19106.
9. Full names and complete mailing address of publisher, editor, and managing editor: Publisher: Lippincott Williams & Wilkins, Inc., 530 Walnut Street, Philadelphia, PA 19106; Editor: Dennis C. Turk, Ph.D., Dept of Anesthesiology, University of Washington, Seattle WA 98195. Managing Editor: Karen Harmon, IR/CJP Editorial Coordinator, LWW Editorial Office, 1803 Research Blvd., Suite 300, Rockville MD 20850. 10. Owner: Lippincott Williams & Wilkins, Wolters Kluwer, US, Wolters Kluwer nv (owns 100% of stock), 530 Walnut St., Philadelphia PA 19106; 351 West Camden Street, Baltimore, MD 21201; 345 Hudson Street, New York NY 10014; Stadouderskade 1, 1054 FS Amsterdam, The Netherlands. 11. Known bondholders, mortgagees, and other security holders owning or holding 1% or more of total amount of bonds, mortgages, or other securities: None.
12. Purpose, function, and nonprofit status: Has not changed during preceding 12 months.
13. Publication Name: THE CLINICAL JOURNAL OF PAIN
14. Issue Date for circulation data: Volume 16, Issue 3.
15. Extent and nature of circulation: Average number of copies each issue during preceding 12 months: (a) Total No. copies (Net Press Run), 3,375. (b) Paid and/or requested circulation; (1) Paid/requested outside-county mail subscriptions stated on form 3541. (Include advertiser's proof and exchange copies), 1,810; (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A; (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distributrion, N/A; (4) Other classes mailed through the USPS, N/A. (c) Total paid and/or requested circulation (sum of 15b (1), (2), (3), and (4)), 1,810. (d) Free distribution by mail (samples, complimentary, and other free). (1) Outside-county as stated on form 3541, 208; (2) In country as stated on form 3541, N/A; (3) Other classes mailed through the USPS, N/A. (e) Free distribution outside the mail (carriers or other means), N/A. (f) Total free distribution (sum of 15d and 15e), 208. (g) Total distribution (Sum of 15c and 15f) 2,019. (h) Copies not distributed, 1,356 (i) Total (sum of 15g and h), 3,375. (j) Percent paid and/or requested circulation (15c divided by 15g times 100) 90%. No. copies of single issue published nearest to filing date: (a) Total no. copies (Net Press Run), 2,600. (b) Paid and/or requested circulation; (1) Paid/requested outside-county mail subscriptions stated on form 3541, (Include advertiser's proof and exchange copies), 1,415; (2) Paid in-county subscriptions (include advertiser's proof and exchange copies), N/A; (3) Sales through dealers and carriers, street vendors, counter sales, and other non-USPS paid distribution, N/A; (4) Other classes mailed through the USPS, N/A. (c) Total paid and/or requested circulation (sum of 15b. (1), (2), (3), and (4)), 1,415. (d) Free distribution by mail (samples, complimentary, and other free), (1) Outside-county as stated on form 3541, 248; (2) In-county as stated on form 3541, N/A; (3) Other classes mailed through the USPS, N/A. (e) Free distribution outside the mail (carriers or other means), N/A. (f) Total free distribution (sum of 15d and 15e), 248. (g) Total distribution (Sum of 15c and 15f), 1,663. (h) Copies not distributed, 937. (i) Total (sum of 15g and h), 2,600. (j) Percent paid and/or requested circulation (15c divided by 15g x 100), 85%.
16. This Statement of Ownership will be printed in volume 16, issue 4 of this publication.
17. I certify that the statements made by me above are correct and complete.

Michael Wells

Manager, Periodical Operations